

Photograph of Sample

EH Bath Salt-Relax CBD

EH Bath Salt-Relax CBD
Total wt 253 gm

AUR
43




Auravir

Certificate of Analysis

Assay Date: January 11, 2022 **BioTrack ID:**
Material: Bath Salt CBD
Method: HPLC
Internal ID: AUR 043 *Sample collected by client*
Moisture: Not Performed
α-Tocopherol: Not Performed

Foreign Material Inspection

Inspection not required



Abundant Terpenes

| | | | |
|-----------------|----|---------------------|----|
| 1) a-Pinene | ** | 11) Terpinolene | ** |
| 2) Camphene | ** | 12) Linalool | ** |
| 3) b-Pinene | ** | 13) Isopulegol | ** |
| 4) Myrcene | ** | 14) Geraniol | ** |
| 5) 3-Carene | ** | 15) b-Caryophyllene | ** |
| 6) a-Terpinene | ** | 16) a-Humulene | ** |
| 7) d-Limonene | ** | 17) Nerolidol | ** |
| 8) p-Cymene | ** | 18) Guaiol | ** |
| 9) Ocimene | ** | 19) a-Bisabolol | ** |
| 10) g-Terpinene | ** | | |

Terpene Total (not performed)

| Cannabinoid | mg/gram | Method |
|-------------|---------|--------|
| Δ9-THC | <0.1 | hplc |
| Δ9-THCa | <0.1 | hplc |
| CBN | <0.1 | hplc |
| CBD | 2.3 | hplc |
| CBDa | <0.1 | hplc |
| Total CBG | <0.1 | hplc |
| Δ8-THC | <0.1 | hplc |
| Total | 2.3 | |

Total THC = 0.01%
Δ9 Activation >99%
Total THC = 1.9 mg/unit
Total CBD = 0.23%
CBD Activation >99%
Total CBD = 582 mg/unit

-- Unit Size: 253 g --

Terpene Profile

(analysis not performed)

*Δ9-THC, Δ9-THCa and Total CBD are reported to BioTrack. 'np' = test not performed



- Δ9-THC
- Δ9-THCa
- CBN
- CBD
- CBDa
- Total CBG
- Δ8-THC

Form Copyright © R. Rivara 2020

| Microbial Screen (cfu/gram) | Observed Rate |
|------------------------------------|-------------------------|
| - Total aerobic plate count: | ** (test not performed) |
| - Total yeast and mold count: | ** (test not performed) |
| - Bile-tolerant gram negative: | ** (test not performed) |
| - E. Coli: | ** (test not performed) |
| - Salmonella spp.: | ** (test not performed) |
| - Mycotoxins (B1, B2, G1, G2, OA): | ** (test not performed) |

Microbial Screen Not Performed

TerpType®: (profile not performed)

Residual Solvents (ppm), bold-red if failed*

(residuals test not performed)



Approved on January 14, 2022
 Results are non-transferable
 and valid for 30 days.

Barry Dungan
 Barry Dungan - CEO